

## IN THE CLAIMS:

1. (Currently Amended) A method for publishing objects comprising the steps of:  
~~providing a plurality of objects, at least one of the objects including a relationship with another object in the plurality of objects;~~  
~~identifying at least one relationship between the plurality of objects;~~  
~~representing the at least one relationship~~ one or more inclusion relationships between objects in a the plurality of objects using at least one graph;  
~~traversing~~ sorting the at least one graph ~~in topological order~~ to determine the an order in which to construct one or more objects in the plurality of objects based on the one or more inclusion relationships ~~in accordance with the at least one relationship and an update to at least one of the objects in the plurality of objects;~~  
constructing the one or more objects based on the determined order; and  
publishing the one or more constructed objects.

2. (Currently Amended) The method as recited in claim 1, wherein the step of representing ~~the at least one relationship between the plurality of objects~~ includes the step of representing objects in the plurality of objects by nodes and representing the ~~at least one~~ one or more inclusion relationships by at least one edge connection between nodes.

3. (Currently Amended) The method as recited in claim 1, wherein the step of ~~traversing~~ sorting the at least one graph ~~in topological~~ to determine an order includes the step of selecting the order sort criteria based on one of performance and correct construction of the plurality of objects.

4. (Currently Reinstated, Currently Amended) The method as recited in claim 1, wherein the step of traversing ~~at least one graph to determine the order~~ includes the step of traversing is performed by employing at least one topological sort on the at least one graph.

5. (Previously Canceled)

6. (Previously Canceled)

7. (Previously Canceled)

8. (Currently Amended) The method as recited in claim 1, wherein all of the ~~at least one~~ ~~of the plurality of~~ one or more constructed objects are published together.

9. (Currently Amended) The method as recited in claim 1, wherein the step of publishing includes the steps of:

partitioning one or more of the plurality of objects into a plurality of groups; and publishing all objects belonging to a same group together.

10. (Original) The method as recited in claim 9 wherein the step of publishing all objects belonging to a same group together includes the step of:

for at least two of the plurality of groups, publishing all objects belonging to a first group before publishing any objects belonging to a second group.

11. (Previously Amended) The method as recited in claim 1, wherein the step of publishing includes the step of satisfying at least one consistency constraint.

12. (Original) The method as recited in claim 11, wherein the step of satisfying at least one consistency constraint includes the step of delaying publication of a first object until a second object which is referenced by the first object is published.

13. (Original) The method as recited in claim 12, wherein the first object and the second object include Web pages and a reference between the first and second objects includes a hypertext link.

14. (Original) The method as recited in claim 11, wherein the step of satisfying at least one consistency constraint includes the step of publishing two compound objects together if the compound objects are both constructed from at least one common changed fragment.

15. (Original) The method as recited in claim 1, wherein at least one of the plurality of objects is a Web page.

01  
16. (Original) A method for publishing a plurality of objects comprising the steps of:  
providing a plurality of objects, including compound objects;  
partitioning at least some of the plurality of objects into a plurality of groups such that if two compound objects are constructed from at least one common changed fragment, then the compound objects are placed in a same group; and  
publishing all objects belonging to a same group together.

17. (Original) The method as recited in claim 16, wherein the step of publishing includes the step of:

for at least two of the plurality of groups, publishing all objects belonging to a first group before publishing any objects belonging to a second group.

18. (Original) The method as recited in claim 16, wherein the step of publishing includes the step of:

delaying publication of a first object until a second object, which is referenced, by the first object is published.

19. (Original) The method as recited in claim 18, wherein the first and the second objects are Web pages and a reference between the first and the second objects is a hypertext link.

20. (Currently Amended) The method as recited in claim 16, further comprising the steps of:

representing objects by nodes on at least one graph; and  
representing relationships between the objects by edges ~~connections~~ between the nodes.

21. (Currently Amended) The method as recited in claim 20, wherein the at least one graph includes ~~connections include~~ an edge between two nodes representing compound objects if the two compound objects are constructed from at least one common changed fragment.

22. (Original) The method as recited in claim 20, wherein the connections include a directed edge from a first node representing a first object to a second node representing a second object, if the second object includes a reference to the first object.

23. (Previously Amended) The method of claim 20, further comprising the steps of:  
determining if a first compound object and a second compound object embed at least one common changed fragment by:

topologically sorting at least part of a graph including dependence edges between objects;

examining the graph in an order defined by the topological sort; and

constructing a union between a set including a second object and a set including changed fragments needed to construct the second object for at least one edge which begins with the second object and terminates in the first object and for which the second object has changed.

24. (Original) The method as recited in claim 20 further comprising the step of performing a topological sort on at least part of the at least one graph for finding strongly connected components.

25. (Currently Amended) The method as recited in claim 24, further comprising the step of publishing a set of objects belonging to a same strongly connected component, of the at least one graph, together.

26. (Original) The method as recited in claim 24, further comprising the steps of:  
examining objects in an order defined by the topological sort;  
when an unpublished object is examined, publishing the unpublished object together with  
all objects belonging to a same strongly connected component.

27. (Currently Amended) A program storage device readable by machine, tangibly  
embodying a program of instructions executable by the machine to perform method steps for  
publishing objects, the method steps comprising:

~~providing a plurality of objects, at least one of the objects including a relationship with  
another object in the plurality of objects;~~

~~identifying at least one relationship between the plurality of objects;~~

~~representing the plurality of objects and the at least one relationship~~ one or more  
inclusion relationships ~~between objects in a the plurality of objects using at least one graph;~~

~~traversing sorting the at least one graph in topological order to determine the an order in  
which to construct one or more objects in the plurality of objects based on the one or more  
inclusion relationships in accordance with the at least one relationship and an update to at least  
one of the objects in the plurality of objects;~~

~~constructing the one or more objects based on the determined order; and~~

~~publishing the one or more constructed objects.~~

28. (Currently Amended) The program storage device as recited in claim 27, wherein the  
step of ~~graphically representing the at least one relationship between the plurality of objects~~  
includes ~~the step of~~ representing objects in the plurality of objects by a nodes and representing  
the ~~at least one or more inclusion relationships by a connection~~ an edge between nodes.

29. (Currently Amended) The program storage device as recited in claim 27, wherein  
the step of ~~traversing sorting the at least one graph in topological~~ to determine the order includes  
the step of selecting the order sort criteria based on one of performance and correct construction  
of the plurality of objects.

30. (Currently Reinstated, Currently Amended) The program storage device as recited in claim 27, wherein the step of traversing ~~at least one graph to determine the order includes the step of traversing~~ is performed by employing at least one topological sort on at least part of the at least one graph.

31. (Previously Canceled)

32. (Previously Cancelled)

33. (Previously Canceled)

34. (Currently Amended) The program storage device as recited in claim 27, wherein all of the ~~at least one of the plurality of~~ one or more constructed objects are published together.

35. (Currently Amended) The program storage device as recited in claim 27, wherein the step of publishing includes the steps of:

partitioning one or more objects in the plurality of objects into a plurality of groups; and publishing all objects belonging to a same group together.

36. (Original) The program storage device as recited in claim 35 wherein the step of publishing all objects belonging to a same group together includes the step of:

for at least two of the plurality of groups, publishing all objects belonging to a first group before publishing any objects belonging to a second group.

37. (Previously Amended) The program storage device as recited in claim 27, wherein the step of publishing includes the step of satisfying at least one consistency constraint.

38. (Original) The program storage device as recited in claim 37, wherein the step of satisfying at least one consistency constraint includes the step of delaying publication of a first object until a second object which is referenced by the first object is published.

39. (Original) The program storage device as recited in claim 38, wherein the first object and the second object include Web pages and a reference between the first and second objects includes a hypertext link.

40. (Original) The program storage device as recited in claim 37, wherein the step of satisfying at least one consistency constraint includes the step of publishing two compound objects together if the compound objects are both constructed from at least one common changed fragment.

41. (Original) The program storage device as recited in claim 27, wherein at least one of the plurality of objects is a Web page.

42. (Original) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for publishing a plurality of objects, the method steps comprising:

providing a plurality of objects, including compound objects;

partitioning at least some of the plurality of objects into a plurality of groups such that if two compound objects are constructed from at least one common changed fragment, then the compound objects are placed in a same group; and

publishing all objects belonging to a same group together.

43. (Original) The program storage device as recited in claim 42, wherein the step of publishing includes the step of:

for at least two of the plurality of groups, publishing all objects belonging to a first group before publishing any objects belonging to a second group.

44. (Original) The program storage device as recited in claim 42, wherein the step of publishing includes the step of:

delaying publication of a first object until a second object which is referenced by the first object is published.

45. (Original) The program storage device as recited in claim 44, wherein the first and the second objects are Web pages and a reference between the first and second objects is a hypertext link.

01 46. (Currently Amended) The program storage device as recited in claim 44, further comprising the steps of:

representing objects by nodes on at least one graph; and

representing relationships between the objects by edges ~~connections~~ between the nodes.

47. (Currently Amended) The program storage device as recited in claim 46, wherein the at least one graph includes ~~connections include~~ an edge between two nodes representing compound objects if the two compound objects are constructed from at least one common changed fragment.

48. (Original) The program storage device as recited in claim 46, wherein the connections include a directed edge from a first node representing a first object to a second node representing a second object, if the second object includes a reference to the first object.

49. (Previously Amended) The program storage device of claim 46, further comprising the steps of:

determining if a first compound object and a second compound object embed at least one common changed fragment by:

topologically sorting a graph including dependence edges between objects;

examining the graph in an order defined by the topological sort; and



constructing a union between a set including a second object and a set including changed fragments needed to construct the second object for at least one edge which begins with the second object and terminates in the first object and for which the second object has changed.

50. (Original) The program storage device as recited in claim 46, further comprising the step of performing a topological sort on at least part of the at least one graph for finding strongly connected components.

51. (Currently Amended) The program storage device as recited in claim 50, further comprising the step of publishing a set of objects belonging to a same strongly connected component, of the at least one graph, together.

52. (Original) The method as recited in claim 50, further comprising the steps of:  
examining objects in an order defined by the topological sort;  
when an unpublished object is examined, publishing the unpublished object together with all objects belonging to a same strongly connected component.

53. (Currently Amended) A method for publishing a plurality of objects comprising the steps of:  
providing a plurality of objects;  
constructing at least one graph, the at least one graph including nodes representing objects in the plurality of objects and edges for connecting nodes having relationships, at least some of the edges being derived from at least one consistency constraint;  
finding at least one strongly connected component in the at least one graph; and  
publishing a set of objects belonging to a same strongly connected component group.

54. (Canceled)

55. (Original) The method as recited in claim 53, further comprising the step of topologically sorting at least part of the at least one graph.

56. (Original) The method as recited in claim 55, further comprising the steps of:  
examining objects in an order defined by topological sorting;  
when an unpublished object is examined, publishing the unpublished object together with  
all objects belonging to a same strongly connected component.

57. (Original) The method as recited in claim 53, wherein one of the at least one  
consistency constraint includes delaying publication of a first object before a second object which  
is referenced by the first object is published.

58. (Original) The method as recited in claim 57, wherein the first and second objects  
include Web pages and at least one edge between the objects corresponds to at least one  
hypertext link.

59. (Original) The method as recited in claim 53, wherein an edge exists from a first  
object to a second object in at least one of the at least one graphs if the second object has a  
reference to the first object.

60. (Original) The method as recited in claim 53, wherein at least one of the consistency  
constraints includes publishing two compound objects together if the two compound objects are  
both constructed from at least one common changed fragment.

61. (Currently Amended) A method for publishing objects comprising the steps of:  
~~providing a plurality of objects, at least one of the objects including a relationship with~~  
~~another object in the plurality of objects;~~  
~~identifying at least one relationship between the plurality of objects;~~  
~~representing the at least one relationship~~ one or more relationships between objects in a  
~~the plurality of objects using at least one graph;~~  
traversing at least one graph to determine ~~the~~ an order in which to construct one or more  
objects in the plurality of objects based on the one or more relationships ~~in accordance with the at~~

~~least one relationship and an update to at least one of the objects in the plurality of objects;~~  
constructing the one or more objects based on the determined order; and  
publishing the one or more constructed ~~at least one of the plurality of~~ objects.

62. (Currently Amended) The method as recited in claim 61, wherein the step of representing ~~the at least one relationship between the plurality of objects~~ includes ~~the step of~~ representing objects in the plurality of objects by nodes and representing the ~~at least one~~ or more relationships by at least one edge connection between nodes.

63. (Currently Amended) The method as recited in claim 61, wherein the step of traversing at least one graph to determine an ~~the~~ order includes the step of selecting the order based on one of performance and correct construction of the plurality of objects.

64. (Currently Amended) The method as recited in claim 61, wherein the step of traversing ~~at least one graph to determine the order~~ includes the step of traversing is performed by employing at least one topological sort on the at least one graph.

65. (Canceled)

66. (Previously Canceled)

67. (Currently Amended) The method as recited in claim 61, wherein all of the one or more constructed ~~at least one of the plurality of~~ objects are published together.

68. (Currently Amended) The method as recited in claim 67, wherein the step of publishing includes the steps of:  
partitioning one or more objects in the plurality of objects into a plurality of groups; and  
publishing all objects belonging to a same group together.

69. (Previously Added) The method as recited in claim 68, wherein the step of publishing all objects belonging to a same group together includes the step of:

for at least two of the plurality of groups, publishing all objects belonging to a first group before publishing any objects belonging to a second group.

70. (Previously Added) The method as recited in claim 61, wherein the step of publishing includes the step of satisfying at least one consistency constraint.

71. (Previously Added) The method as recited in claim 70, wherein the step of satisfying at least one consistency constraint includes the step of delaying publication of a first object until a second object which is referenced by the first object is published.

72. (Previously Added) The method as recited in claim 71, wherein the first object and the second object include Web pages and a reference between the first and second objects includes a hypertext link.

73. (Previously Added) The method as recited in claim 70, wherein the step of satisfying at least one consistency constraint includes the step of publishing two compound objects together if the compound objects are both constructed from at least one common changed fragment.

74. (Previously Added) The method as recited in claim 61, wherein at least one of the plurality of objects is a Web page.

---